


MOULDINGS ONE

IDEAL MOULDINGS




IDEAL MOULDINGS


WHILE THE RANGE OF POSSIBILITIES FOR MOULDING PROFILES IS ONLY LIMITED BY ONE'S IMAGINATION, CERTAIN FORMS AND PROFILES CREATE MORE RELIABLE AND PLEASING COMPOSITIONS. OVER THE YEARS, WE HAVE RUN MILLIONS OF LINEAR FEET OF MOULDINGS, LOOKED AT HISTORICAL EXAMPLES FROM ACROSS THE WORLD, AND TRANSCRIBED THOUSANDS OF PROFILES FROM HISTORICAL DOCUMENTATION. WITH THAT EXPERIENCE, WE'VE ASSEMBLED A GROUP OF IDEAL MOULDING PROFILES THAT ARE INCLUDED IN THE FOLLOWING PAGES.





SMALL FILLETS













S4S (SANDED FOUR SIDES) SQUARE AND RECTANGULAR BLOCKS AND FILLETS IN STANDARD SIZES MAKE UP THE BLANKS FROM WHICH THE PROFILES ARE CUT AND ADDED TO.





BEADED PROFILES CAN BE EXTENDED
IN ANY DIRECTION AND ORIENTATION







3104




3105




3101




3102




3099





3290



3321








3240





3339


3217





3238




































PAIRED MOULDINGS FORM THE
EAVE AND RAKE PROFILES FOR
PEDIMENTS WITH 5', 8', AND 10'
HIGH COLUMNS



PAIRED MOULDINGS FORM THE
EAVE AND RAKE PROFILES FOR
PEDIMENTS WITH 5', 8', AND 10'
HIGH COLUMNS

SKETCH PAD

SKETCH PAD

SKETCH PAD

SKETCH PAD

SKETCH PAD

SKETCH PAD

SKETCH PAD